Message

From: Takaba, Richard R [richard.takaba@doh.hawaii.gov]

Sent: 5/21/2016 2:55:02 AM

To: Linder, Steven [Linder.Steven@epa.gov]; Pallarino, Bob [Pallarino.Bob@epa.gov]
CC: steven.chang@doh.hawaii.gov; roxanne.kwan@doh.hawaii.gov; Frazier, William Mark

[william.frazier@doh.hawaii.gov]; Whittier, Robert [Robert.Whittier@doh.hawaii.gov]; Heu, Randall

[randall.heu@doh.hawaii.gov]

Subject: FW: MF comments to Navy RH wk plan (5-17-16)

Attachments: 4-27-16 MWInstall WP RHSF (MF comments 5-17-16).pdf

From: Frazier, William Mark

Sent: Tuesday, May 17, 2016 12:16 PM

To: Takaba, Richard R <richard.takaba@doh.hawaii.gov>; Whittier, Robert <Robert.Whittier@doh.hawaii.gov>; Heu,

Randall <randall.heu@doh.hawaii.gov>

Subject: MF comments to Navy RH wk plan (5-17-16)

Comments are made in PDF and ranked by blue for general, yellow for high priority and red for most important.

My big comments are:

Collect/test fine grained sediments not limit to soil only when contamination detected

- > Bad well construction, data has potential neg bias, mark as such on all future reports
- Water samp intake at 10 feet-to deep, change to 2-5 feet depth
- Discreet sediment sample technique is unclear to me. Not encore style (5g), yet 100g to be collected plus methanol. Total volume of jars will need 557g of soil total, 105g for VOC, approximately.

Mark Frazier
Geologist
Underground Injection Control
Safe Drinking Water Branch
State of Hawaii
(808) 586-4258
william frazier@doh.hawaii.gov